

10 tips for OR talks

Nelson A. Uhan

April 2022

0. Credits and disclaimers

- I'm not a master public speaker
- I've collected some “dos and don'ts” through observation and experience
- This talk was heavily inspired by articles written by Matt Might¹ and Jeff Kline²
- There are **many** ways of giving a good talk

¹<http://matt.might.net/articles/academic-presentation-tips/>

²Owl speaks lion, *ORMS Today*, August 2016

1. Know your audience

- Find out who you're speaking to, and aim appropriately
- A presentation to a senior executive with no OR background is different from talk to a room of OR academics
- Take your time with introductory material, even if it feels awkward or insulting (it's not)
- It's easy to gloss over concepts and details that took us months or years to learn

2. Practice, practice, practice

- Practice is the key to a natural delivery
- **Rehearse** the presentation, don't memorize the talk
 - e.g. transitions between topics, intentional pauses
- Concentrate on your **opening**
 - First impressions are important
 - Good opening = comfort early on

2. Practice, practice, practice

- After rehearsing, ask yourself:
 - Was there a topic I spent too much time on?
 - Was there a topic I could have done without?
 - Did I explain each topic clearly and concisely?
- ⇒ Expand, cut, or refine as necessary

3. A talk is about an idea, not a paper

- It takes hours of thoughtful reading to digest the average paper in detail
- A talk is typically 15-30 minutes
- The talk should present the same idea in the paper, but **on its own terms**
 - The ideal outline for a talk may be very different from how the paper is organized
 - The talk should concentrate on the **key ideas**
 - **Examples** are good

4. The 40/30/30 rule

- First 40% of your talk:
 - Introduce and motivate your problem
 - Why is this problem important?
- Second 30% of your talk:
 - Give an overview of your approach and results
 - What is novel about your approach?
 - Why are your results interesting, important, etc.?
- Last 30% of your talk (or for Q+A):
 - For the experts: methods, demos, proofs, etc.
 - Blow the audience away with your technical prowess

5. Slides should not overwhelm the viewer

- Too much information on a slide \Rightarrow brain shuts off
- Present information **piecemeal**
e.g. bullet-by-bullet, node-by-node, equation-by-equation
- Highlight important parts
(but use sparingly)
- Spread information among multiple slides if necessary
- **Do not** cut and paste from your paper

Don't do this

Theorem

Computing the least core value of scheduling games is NP-hard.

Proof.

By the previous theorem, the least core value of scheduling games is

$$z^* = \frac{1}{2} \max_{\substack{S \subseteq N \\ S \neq \emptyset, N}} \{v(N) - v(S) - v(N \setminus S)\} = \frac{1}{2} v(N) - \frac{1}{2} \min_{\substack{S \subseteq N \\ S \neq \emptyset, N}} \{v(S) + v(N \setminus S)\}.$$

Note that the minimization problem above is equivalent to the problem of minimizing the sum of weighted completion times of jobs in N , with weight w_j and processing time p_j for each job $j \in N$, on two identical parallel machines. Sahni (1976) showed that this two-machine problem is NP-hard, even when $w_j = p_j$ for all jobs $j \in N$. \square

Do this

Theorem

Computing the least core value of scheduling games is NP-hard.

Proof.

$$\begin{aligned} z^* &= \frac{1}{2} \max_{\substack{S \subseteq N \\ S \neq \emptyset, N}} \{v(N) - v(S) - v(N \setminus S)\} \\ &= \frac{1}{2} v(N) - \frac{1}{2} \underbrace{\min_{\substack{S \subseteq N \\ S \neq \emptyset, N}} \{v(S) + v(N \setminus S)\}}_{\text{P2} \mid \mid \sum w_j C_j} \end{aligned}$$

⇒ Problem is equivalent to $\text{P2} \mid \mid \sum w_j C_j$, which is NP-complete. [Sahni (1976)]




6. A picture is worth a 1000 words

- Images and animations can convey or illustrate an idea better than text
- If you can use an image instead of text, do it
 - This takes thought and time
- Avoid unnecessary details on images
e.g. scales, tick marks

Illustrating with animations and examples

- Job is completed when all its operations are completed



7. Use math carefully

- Math as a language is expressive and precise
- Talks are hand-wavy and should focus on **intuition**
- Reading lots of math disengages the reader from the speaker
- Be careful with how you use math
- Avoid unnecessary details
- Consider changing notation to make it easier to grasp

This is not a good way to present math

$$\begin{aligned}
 & \text{minimize } C_{\max} \\
 & \text{subject to } C_{\max} \geq C_{mn} \\
 & C_{00} \geq \sum_{j \in \mathcal{J}} \sum_{s \in \mathcal{S}} P_{0js} x_{0j0s} \\
 & C_{ik} \geq C_{i-1,k} + \sum_{j \in \mathcal{J}} \sum_{s \in \mathcal{S}} P_{ijs} x_{ijks} && i = 1, \dots, m; k \in \mathcal{J}, \\
 & C_{ik} \geq C_{i,k-1} + \sum_{j \in \mathcal{J}} \sum_{s \in \mathcal{S}} P_{ijs} x_{ijks} && i \in \mathcal{M}; k = 1, \dots, n-1, \\
 & S_{ij} - S_{hk} \leq M u_{hkij} - 1 && i, h \in \mathcal{M}; j, k \in \mathcal{J}, \\
 & S_{hk} - S_{ij} + \sum_{l \in \mathcal{J}} \sum_{s \in \mathcal{S}} P_{hls} x_{hlks} \leq M v_{hkij} && i, h \in \mathcal{M}; j, k \in \mathcal{J}, \\
 & C_{ij} = S_{ij} + \sum_{r \in \mathcal{J}} \sum_{s \in \mathcal{S}} x_{irjs} P_{irs} && i \in \mathcal{M}; j \in \mathcal{J}, \\
 & u_{hkij} + v_{hkij} = 1 + y_{hkij} && i, h \in \mathcal{M}; j, k \in \mathcal{J}, \\
 & x_{hlks} + y_{hkij} \leq 1 + z_{hlksij} && i, h \in \mathcal{M}; j, k, l \in \mathcal{J}; s \in \mathcal{S}, \\
 & \sum_{k \in \mathcal{J}} \sum_{s \in \mathcal{S}} x_{ijks} = 1 && i \in \mathcal{M}; j \in \mathcal{J}, \\
 & \sum_{j \in \mathcal{J}} \sum_{s \in \mathcal{S}} x_{ijks} = 1 && i \in \mathcal{M}; k \in \mathcal{J}, \\
 & \sum_{s \in \mathcal{S}} x_{ijks} = \sum_{s \in \mathcal{S}} x_{hjks} && i, h \in \mathcal{M}; j, k \in \mathcal{J}, \\
 & \sum_{r \in \mathcal{J}} \sum_{s \in \mathcal{S}} q_{irs} x_{irjs} + \sum_{h \in \mathcal{M}, h \neq i} \sum_{l \in \mathcal{J}} \sum_{k \in \mathcal{J}} \sum_{s \in \mathcal{S}} q_{hls} z_{hlksij} \leq Q_{\max} && i \in \mathcal{M}; j \in \mathcal{J}, \\
 & x_{ijks}, u_{hkij}, v_{hkij}, y_{hkij}, z_{hlksij} \in \{0, 1\} && i, h \in \mathcal{M}; j, l, k \in \mathcal{J}; s \in \mathcal{S}.
 \end{aligned}$$

This is a better way to present math

- Overall mathematical program

minimize C_{\max}
subject to permutation flow shop constraints
concurrent job constraints
peak power consumption $\leq Q_{\max}$
variable-type constraints (nonnegativity, binary)

Subsequent slides: one slide per constraint type

8. Style matters

- Your talk is primarily about what you say, but...
- Your slides should be visually appealing
 - Clean fonts
 - Lack of gratuitous adornments
 - Balance of whitespace
 - Imagery and animations that enhance intuition
- Learn to use your presentation software/package well (e.g. Beamer, PowerPoint, Keynote)

9. Questions are not random

- **Anticipate** questions your audience might ask
- Some answers belong in your talk
- Some don't, but you can reserve a separate slide
- For unanticipated questions, buy time by reformulating the question in your own words
- If an exchange becomes long or hostile, thank the questioner and suggest taking the discussion offline

10. Speak slowly and use your body

- You are probably talking too fast
 - Rule of thumb: **at least** 1 minute per slide
- Be aware of your **body language**
 - Stand up straight
 - Gesture with your whole body
- Look at your projected slides, not the computer
- Step away from the podium, walk around
- Invest in a good presentation remote

To summarize...

1. Know your audience
2. Practice, practice, practice
3. A talk is about an idea, not a paper
4. The 40/30/30 rule or BLUF
5. Slides should not overwhelm the viewer
6. A picture is worth a 1000 words
7. Use math sparingly
8. Style matters
9. Questions are not random
10. Speak slowly and use your body